

Sample Identification # and Location	Date/Time Collected	Date/Time Analyzed	Container ID	Analyte	Results	NYSDOH Action Level	Units
MAIN-01-SF-P-01	12/11/2020 05:49	12/28/2020 19:16	70156881001	Lead	3.6	15	ug/L
MAIN-01-CM-P-06	12/11/2020 05:54	12/28/2020 19:17	70156881002	Lead	1.9	15	ug/L
MAIN-01-DW-P-07	12/11/2020 05:55	12/28/2020 19:19	70156881003	Lead	<1.0	15	ug/L
MAIN-01-DW-P-08	12/11/2020 05:55	12/28/2020 19:20	70156881004	Lead	<1.0	15	ug/L
MAIN-01-DW-P-09	12/11/2020 05:55	12/28/2020 19:25	70156881005	Lead	<1.0	15	ug/L
MAIN-01-SF-P-10	12/11/2020 05:58	12/28/2020 19:27	70156881006	Lead	3.1	15	ug/L
MAIN-01-SF-P-11	12/11/2020 05:58	12/28/2020 19:28	70156881007	Lead	2.4	15	ug/L
MAIN-01-SF-P-12	12/11/2020 05:58	12/28/2020 19:30	70156881008	Lead	1.8	15	ug/L
MAIN-01-SF-P-13	12/11/2020 06:00	12/28/2020 19:35	70156881009	Lead	2.3	15	ug/L
MAIN-01-SF-P-14	12/11/2020 06:00	12/28/2020 19:36	70156881010	Lead	2.7	15	ug/L
MAIN-01-SF-P-15	12/11/2020 06:00	12/28/2020 19:38	70156881011	Lead	2.0	15	ug/L
MAIN-02-SF-P-16	12/11/2020 06:08	12/28/2020 19:40	70156881012	Lead	2.6	15	ug/L
MAIN-02-CM-P-17	12/11/2020 06:08	12/28/2020 19:44	70156881013	Lead	6.9	15	ug/L
MAIN-02-IM-P-18	12/11/2020 06:08	12/28/2020 19:46	70156881014	Lead	34.6	15	ug/L
MAIN-02-DW-P-19	12/11/2020 06:11	12/28/2020 19:48	70156881015	Lead	<1.0	15	ug/L
MAIN-02-DW-P-20	12/11/2020 06:11	12/28/2020 19:49	70156881016	Lead	<1.0	15	ug/L
MAIN-02-DW-P-21	12/11/2020 06:11	12/28/2020 19:51	70156881017	Lead	<1.0	15	ug/L
MAIN-02-SF-P-22	12/11/2020 06:13	12/28/2020 19:56	70156881018	Lead	6.0	15	ug/L
MAIN-02-SF-P-23	12/11/2020 06:13	12/28/2020 20:04	70156881019	Lead	3.3	15	ug/L
MAIN-02-SF-P-24	12/11/2020 06:13	12/28/2020 20:05	70156881020	Lead	2.8	15	ug/L
MAIN-02-SF-P-25	12/11/2020 06:15	12/28/2020 20:07	70156881021	Lead	2.0	15	ug/L
MAIN-02-SF-P-26	12/11/2020 06:15	12/28/2020 20:08	70156881022	Lead	2.8	15	ug/L
MAIN-02-SF-P-27	12/11/2020 06:15	12/28/2020 20:10	70156881023	Lead	3.0	15	ug/L
MAIN-02-CM-P-28	12/11/2020 06:25	12/28/2020 20:12	70156881024	Lead	<1.0	15	ug/L
MAIN-02-SF-P-29	12/11/2020 06:25	12/28/2020 20:13	70156881025	Lead	<1.0	15	ug/L
MAIN-02-IM-P-30	12/11/2020 06:25	12/28/2020 20:15	70156881026	Lead	1.5	15	ug/L
MAIN-01-SF-P-31	12/11/2020 06:27	12/28/2020 20:17	70156881027	Lead	4.8	15	ug/L

NYSDOH Action Level for Lead of 15 ppb

December 29, 2020

Paul Swieton  
Rensselaer-Columbia-Greene Counties and  
BOCES  
10 Empire State Blvd.  
Fl 2  
Castleton On Hudson, NY 12033

RE: Project: QUESTAR III MAIN OFFICE 12/11  
Pace Project No.: 70156881

Dear Paul Swieton:

Enclosed are the analytical results for sample(s) received by the laboratory on December 15, 2020. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Melville

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Nicolette M. Lovari  
nicolette.lovari@pacelabs.com  
(631)694-3040  
Project Manager

Enclosures

cc: Tim LeVan, Questar III



## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## CERTIFICATIONS

Project: QUESTAR III MAIN OFFICE 12/11

Pace Project No.: 70156881

---

### **Pace Analytical Services Long Island**

575 Broad Hollow Rd, Melville, NY 11747

New York Certification #: 10478 Primary Accrediting Body

New Jersey Certification #: NY158

Pennsylvania Certification #: 68-00350

Connecticut Certification #: PH-0435

Maryland Certification #: 208

Rhode Island Certification #: LAO00340

Massachusetts Certification #: M-NY026

New Hampshire Certification #: 2987

---

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: QUESTAR III MAIN OFFICE 12/11

Pace Project No.: 70156881

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>Sample: MAIN-01-SF-P-01</b>								
<b>Lab ID: 70156881001</b>								
Collected: 12/11/20 05:49								
Received: 12/15/20 11:00								
Matrix: Drinking Water								
<b>200.8 MET ICPMS Drinking Water</b>								
Analytical Method: EPA 200.8								
Pace Analytical Services - Melville								
Lead	<b>3.6</b>	ug/L	1.0	1		12/28/20 19:16	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: QUESTAR III MAIN OFFICE 12/11

Pace Project No.: 70156881

Sample: MAIN-01-CM-P-06	Lab ID: 70156881002	Collected: 12/11/20 05:54	Received: 12/15/20 11:00	Matrix: Drinking Water					
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville								
Lead	<b>1.9</b>	ug/L	1.0	1		12/28/20 19:17	7439-92-1		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: QUESTAR III MAIN OFFICE 12/11

Pace Project No.: 70156881

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>Sample: MAIN-01-DW-P-07      Lab ID: 70156881003      Collected: 12/11/20 05:55      Received: 12/15/20 11:00      Matrix: Drinking Water</b>								
<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		12/28/20 19:19	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: QUESTAR III MAIN OFFICE 12/11

Pace Project No.: 70156881

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>Sample: MAIN-01-DW-P-08      Lab ID: 70156881004      Collected: 12/11/20 05:55      Received: 12/15/20 11:00      Matrix: Drinking Water</b>								
<b>200.8 MET ICPMS Drinking Water</b>								
Analytical Method: EPA 200.8 Pace Analytical Services - Melville								
Lead	<1.0	ug/L	1.0	1		12/28/20 19:20	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: QUESTAR III MAIN OFFICE 12/11  
Pace Project No.: 70156881

Sample: MAIN-01-DW-P-09		Lab ID: 70156881005	Collected: 12/11/20 05:55	Received: 12/15/20 11:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		12/28/20 19:25	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: QUESTAR III MAIN OFFICE 12/11

Pace Project No.: 70156881

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>Sample: MAIN-01-SF-P-10</b>								
<b>Lab ID: 70156881006</b>								
Collected: 12/11/20 05:58								
Received: 12/15/20 11:00								
Matrix: Drinking Water								
<b>200.8 MET ICPMS Drinking Water</b>								
Analytical Method: EPA 200.8								
Pace Analytical Services - Melville								
Lead	3.1	ug/L	1.0	1		12/28/20 19:27	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: QUESTAR III MAIN OFFICE 12/11

Pace Project No.: 70156881

Sample: MAIN-01-SF-P-11	Lab ID: 70156881007	Collected: 12/11/20 05:58	Received: 12/15/20 11:00	Matrix: Drinking Water					
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville								
Lead	<b>2.4</b>	ug/L	1.0	1		12/28/20 19:28	7439-92-1		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: QUESTAR III MAIN OFFICE 12/11

Pace Project No.: 70156881

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>Sample: MAIN-01-SF-P-12</b>								
<b>Lab ID: 70156881008</b>								
Collected: 12/11/20 05:58								
Received: 12/15/20 11:00								
Matrix: Drinking Water								
<b>200.8 MET ICPMS Drinking Water</b>								
Analytical Method: EPA 200.8								
Pace Analytical Services - Melville								
Lead	1.8	ug/L	1.0	1		12/28/20 19:30	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: QUESTAR III MAIN OFFICE 12/11

Pace Project No.: 70156881

Sample: MAIN-01-SF-P-13		Lab ID: 70156881009	Collected: 12/11/20 06:00	Received: 12/15/20 11:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>2.3</b>	ug/L	1.0	1		12/28/20 19:35	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: QUESTAR III MAIN OFFICE 12/11

Pace Project No.: 70156881

Sample: MAIN-01-SF-P-14	Lab ID: 70156881010	Collected: 12/11/20 06:00	Received: 12/15/20 11:00	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<b>2.7</b>	ug/L	1.0	1		12/28/20 19:36	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: QUESTAR III MAIN OFFICE 12/11

Pace Project No.: 70156881

Sample: MAIN-01-SF-P-15	Lab ID: 70156881011	Collected: 12/11/20 06:00	Received: 12/15/20 11:00	Matrix: Drinking Water					
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville								
Lead	<b>2.0</b>	ug/L	1.0	1		12/28/20 19:38	7439-92-1		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: QUESTAR III MAIN OFFICE 12/11

Pace Project No.: 70156881

Sample: MAIN-02-SF-P-16		Lab ID: 70156881012	Collected: 12/11/20 06:08	Received: 12/15/20 11:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>2.6</b>	ug/L	1.0	1		12/28/20 19:40	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: QUESTAR III MAIN OFFICE 12/11

Pace Project No.: 70156881

Sample: MAIN-02-CM-P-17	Lab ID: 70156881013	Collected: 12/11/20 06:08	Received: 12/15/20 11:00	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<b>6.9</b>	ug/L	1.0	1		12/28/20 19:44	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: QUESTAR III MAIN OFFICE 12/11

Pace Project No.: 70156881

Sample: MAIN-02-IM-P-18	Lab ID: 70156881014	Collected: 12/11/20 06:08	Received: 12/15/20 11:00	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<b>34.6</b>	ug/L	1.0	1		12/28/20 19:46	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: QUESTAR III MAIN OFFICE 12/11

Pace Project No.: 70156881

Sample: MAIN-02-DW-P-19	Lab ID: 70156881015	Collected: 12/11/20 06:11	Received: 12/15/20 11:00	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		12/28/20 19:48	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: QUESTAR III MAIN OFFICE 12/11

Pace Project No.: 70156881

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>Sample: MAIN-02-DW-P-20</b>								
<b>Lab ID: 70156881016</b>								
Collected: 12/11/20 06:11								
Received: 12/15/20 11:00								
Matrix: Drinking Water								
<b>200.8 MET ICPMS Drinking Water</b>								
Analytical Method: EPA 200.8								
Pace Analytical Services - Melville								
Lead	<1.0	ug/L	1.0	1		12/28/20 19:49	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: QUESTAR III MAIN OFFICE 12/11

Pace Project No.: 70156881

Sample: MAIN-02-DW-P-21	Lab ID: 70156881017	Collected: 12/11/20 06:11	Received: 12/15/20 11:00	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		12/28/20 19:51	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: QUESTAR III MAIN OFFICE 12/11

Pace Project No.: 70156881

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>Sample: MAIN-02-SF-P-22</b>								
<b>Lab ID: 70156881018</b>								
Collected: 12/11/20 06:13								
Received: 12/15/20 11:00								
Matrix: Drinking Water								
<b>200.8 MET ICPMS Drinking Water</b>								
Analytical Method: EPA 200.8								
Pace Analytical Services - Melville								
Lead	<b>6.0</b>	ug/L	1.0	1		12/28/20 19:56	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: QUESTAR III MAIN OFFICE 12/11

Pace Project No.: 70156881

Sample: MAIN-02-SF-P-23		Lab ID: 70156881019	Collected: 12/11/20 06:13	Received: 12/15/20 11:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>3.3</b>	ug/L	1.0	1		12/28/20 20:04	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: QUESTAR III MAIN OFFICE 12/11

Pace Project No.: 70156881

Sample: MAIN-02-SF-P-24		Lab ID: 70156881020	Collected: 12/11/20 06:13	Received: 12/15/20 11:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>2.8</b>	ug/L	1.0	1		12/28/20 20:05	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: QUESTAR III MAIN OFFICE 12/11

Pace Project No.: 70156881

Sample: MAIN-02-SF-P-25		Lab ID: 70156881021	Collected: 12/11/20 06:15	Received: 12/15/20 11:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>2.0</b>	ug/L	1.0	1		12/28/20 20:07	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: QUESTAR III MAIN OFFICE 12/11

Pace Project No.: 70156881

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>Sample: MAIN-02-SF-P-26</b>								
<b>Lab ID: 70156881022</b>								
Collected: 12/11/20 06:15								
Received: 12/15/20 11:00								
Matrix: Drinking Water								
<b>200.8 MET ICPMS Drinking Water</b>								
Analytical Method: EPA 200.8								
Pace Analytical Services - Melville								
Lead	<b>2.8</b>	ug/L	1.0	1		12/28/20 20:08	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: QUESTAR III MAIN OFFICE 12/11

Pace Project No.: 70156881

Sample: MAIN-02-SF-P-27		Lab ID: 70156881023	Collected: 12/11/20 06:15	Received: 12/15/20 11:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>3.0</b>	ug/L	1.0	1		12/28/20 20:10	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: QUESTAR III MAIN OFFICE 12/11

Pace Project No.: 70156881

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>Sample: MAIN-02-CM-P-28</b>								
<b>Lab ID: 70156881024</b>								
Collected: 12/11/20 06:25								
Received: 12/15/20 11:00								
Matrix: Drinking Water								
<b>200.8 MET ICPMS Drinking Water</b>								
Analytical Method: EPA 200.8								
Pace Analytical Services - Melville								
Lead	<1.0	ug/L	1.0	1		12/28/20 20:12	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: QUESTAR III MAIN OFFICE 12/11

Pace Project No.: 70156881

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>Sample: MAIN-02-SF-P-29</b>								
<b>Lab ID: 70156881025</b>								
Collected: 12/11/20 06:25								
Received: 12/15/20 11:00								
Matrix: Drinking Water								
<b>200.8 MET ICPMS Drinking Water</b>								
Analytical Method: EPA 200.8								
Pace Analytical Services - Melville								
Lead	<1.0	ug/L	1.0	1		12/28/20 20:13	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: QUESTAR III MAIN OFFICE 12/11

Pace Project No.: 70156881

Sample: MAIN-02-IM-P-30		Lab ID: 70156881026	Collected: 12/11/20 06:25	Received: 12/15/20 11:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	1.5	ug/L	1.0	1		12/28/20 20:15	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: QUESTAR III MAIN OFFICE 12/11

Pace Project No.: 70156881

Sample: MAIN-01-SF-P-31	Lab ID: 70156881027	Collected: 12/11/20 06:27	Received: 12/15/20 11:00	Matrix: Drinking Water					
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville								
Lead	<b>4.8</b>	ug/L	1.0	1		12/28/20 20:17	7439-92-1		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: QUESTAR III MAIN OFFICE 12/11  
Pace Project No.: 70156881

QC Batch:	191013	Analysis Method:	EPA 200.8
QC Batch Method:	EPA 200.8	Analysis Description:	200.8 MET No Prep Drinking Water
		Laboratory:	Pace Analytical Services - Melville
Associated Lab Samples:	70156881001, 70156881002, 70156881003, 70156881004, 70156881005, 70156881006, 70156881007, 70156881008, 70156881009, 70156881010, 70156881011, 70156881012, 70156881013, 70156881014, 70156881015, 70156881016, 70156881017		

METHOD BLANK:	936986	Matrix:	Water
Associated Lab Samples:	70156881001, 70156881002, 70156881003, 70156881004, 70156881005, 70156881006, 70156881007, 70156881008, 70156881009, 70156881010, 70156881011, 70156881012, 70156881013, 70156881014, 70156881015, 70156881016, 70156881017		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	12/28/20 19:01	

LABORATORY CONTROL SAMPLE:	936987					
Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	51.9	104	85-115	

MATRIX SPIKE SAMPLE:	936989						
Parameter	Units	70156871050 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	1.4	4	5.1	92	70-130	

MATRIX SPIKE SAMPLE:	936991						
Parameter	Units	70156881008 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	1.8	4	5.3	88	70-130	

SAMPLE DUPLICATE:	936988					
Parameter	Units	70156871050 Result	Dup Result	RPD	Qualifiers	
Lead	ug/L	1.4	1.3	5		

SAMPLE DUPLICATE:	936990					
Parameter	Units	70156881008 Result	Dup Result	RPD	Qualifiers	
Lead	ug/L	1.8	1.8	2		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: QUESTAR III MAIN OFFICE 12/11  
Pace Project No.: 70156881

QC Batch: 191015 Analysis Method: EPA 200.8  
QC Batch Method: EPA 200.8 Analysis Description: 200.8 MET No Prep Drinking Water  
Laboratory: Pace Analytical Services - Melville  
Associated Lab Samples: 70156881018, 70156881019, 70156881020, 70156881021, 70156881022, 70156881023, 70156881024, 70156881025, 70156881026, 70156881027

METHOD BLANK: 936994 Matrix: Water  
Associated Lab Samples: 70156881018, 70156881019, 70156881020, 70156881021, 70156881022, 70156881023, 70156881024, 70156881025, 70156881026, 70156881027

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	12/28/20 19:53	

LABORATORY CONTROL SAMPLE: 936995

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	51.2	102	85-115	

MATRIX SPIKE SAMPLE: 936997

Parameter	Units	70156881018 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	6.0	4	9.3	80	70-130	

MATRIX SPIKE SAMPLE: 936999

Parameter	Units	70156884001 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	1.3	4	4.4	78	70-130	

SAMPLE DUPLICATE: 936996

Parameter	Units	70156881018 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	6.0	6.0	0	

SAMPLE DUPLICATE: 936998

Parameter	Units	70156884001 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	1.3	1.3	3	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## QUALIFIERS

Project: QUESTAR III MAIN OFFICE 12/11

Pace Project No.: 70156881

---

### DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: QUESTAR III MAIN OFFICE 12/11  
Pace Project No.: 70156881

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
70156881001	MAIN-01-SF-P-01	EPA 200.8	191013		
70156881002	MAIN-01-CM-P-06	EPA 200.8	191013		
70156881003	MAIN-01-DW-P-07	EPA 200.8	191013		
70156881004	MAIN-01-DW-P-08	EPA 200.8	191013		
70156881005	MAIN-01-DW-P-09	EPA 200.8	191013		
70156881006	MAIN-01-SF-P-10	EPA 200.8	191013		
70156881007	MAIN-01-SF-P-11	EPA 200.8	191013		
70156881008	MAIN-01-SF-P-12	EPA 200.8	191013		
70156881009	MAIN-01-SF-P-13	EPA 200.8	191013		
70156881010	MAIN-01-SF-P-14	EPA 200.8	191013		
70156881011	MAIN-01-SF-P-15	EPA 200.8	191013		
70156881012	MAIN-02-SF-P-16	EPA 200.8	191013		
70156881013	MAIN-02-CM-P-17	EPA 200.8	191013		
70156881014	MAIN-02-IM-P-18	EPA 200.8	191013		
70156881015	MAIN-02-DW-P-19	EPA 200.8	191013		
70156881016	MAIN-02-DW-P-20	EPA 200.8	191013		
70156881017	MAIN-02-DW-P-21	EPA 200.8	191013		
70156881018	MAIN-02-SF-P-22	EPA 200.8	191015		
70156881019	MAIN-02-SF-P-23	EPA 200.8	191015		
70156881020	MAIN-02-SF-P-24	EPA 200.8	191015		
70156881021	MAIN-02-SF-P-25	EPA 200.8	191015		
70156881022	MAIN-02-SF-P-26	EPA 200.8	191015		
70156881023	MAIN-02-SF-P-27	EPA 200.8	191015		
70156881024	MAIN-02-CM-P-28	EPA 200.8	191015		
70156881025	MAIN-02-SF-P-29	EPA 200.8	191015		
70156881026	MAIN-02-IM-P-30	EPA 200.8	191015		
70156881027	MAIN-01-SF-P-31	EPA 200.8	191015		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

POTABLE WATER SAMPLING FOR LEAD CONCENTRATION SAMPLE COLLECTION FORM

Appendix D

CLIENT INFORMATION


Name: Questar III BOCES  
 Address: 10 Empire State Blvd Castleton, NY 12033  
 Client Rep: Paul Swieton

Date of Sampling: 12/11/2020  
 Samples Taken By: Paul Swieton  
 Samples Taken By:

SCHOOL/PROJECT INFORMATION

BLDG NO./NAME: Questar III Main Office  
 BLDG ADDRESS: 10 Empire State Blvd Castleton, NY 12033  
 CONTACT NAME & NUMBERS: Paul Swieton 518-265-9531 Paul.Swieton@questar.org

WO#: 70156881



70156881

(1) Yr. Built: (2) Yr. 1st Add: (3) Yr. 2nd Add: (4) Yr. 1st Mod: (5) Yr. 2nd Mod:

SAMPLE DATA

Lab Sample #	BOCES Sample #	Location	Outlet Description	Outlet Make & Model	Construct. Date	First Draw	Time of Collection (24hr)	Lead	Remediation
1	Main-01-SF-P-01	North Office Suite	Sink Faucet			X	5:49	X	001
2	Main-01-KS-P-02	Kitchen	Sink Faucet						OFF-Covid
3	Main-01-KS-P-03	Kitchen	Sink Faucet						OFF-Covid
4	Main-01-KS-P-04	Kitchen	Sink Faucet						OFF-Covid
5	Main-01-IM-P-05	Kitchen	Ice Machine						OFF-Covid
6	Main-01-CM-P-06	Kitchen	Coffee Machine			X	5:54	X	002
7	Main-01-DW-P-07	Corr by Bathrooms	Water Fountain			X	5:55	X	003
8	Main-01-DW-P-08	Corr by Bathrooms	Water Fountain			X	5:55	X	004
9	Main-01-DW-P-09	Corr by Bathrooms	Bottle Filler			X	5:55	X	005
10	Main-01-SF-P-10	Mens Bathroom (L)	Sink Faucet			X	5:58	X	006
11	Main-01-SF-P-11	Mens Bathroom (C)	Sink Faucet			X	5:58	X	007
12	Main-01-SF-P-12	Mens Bathroom (R)	Sink Faucet			X	5:58	X	008
13	Main-01-SF-P-13	Womens Bathroom (L)	Sink Faucet			X	6:00	X	009
14	Main-01-SF-P-14	Womens Bathroom (C)	Sink Faucet			X	6:00	X	010
15	Main-01-SF-P-15	Womens Bathroom (R)	Sink Faucet			X	6:00	X	011
16	Main-02-SF-P-16	Pantry by HR	Sink Faucet			X	6:08	X	012

All containers are pre-cleaned/pre-certified 250ml plastic bottles and will be preserved w/HNO3@ pH by lab

CHAIN OF CUSTODY

Relinquished By: *[Signature]* Date: 12/15/20  
 Received By: *[Signature]* Time: 11:00  
*[Signature]* *[Signature]*

INSTRUCTIONS TO THE LABORATORY - Analyze all samples for both lead and copper (Pb and Cu)

Lab: Pace  
 Contact: Pace  
 Comments: Provide Laboratory Data Report (LDR) and Chain of Custody

# WO#: 70156881

PM: NML Due Date: 12/30/20  
 CLIENT: QUESTAR

Date of Sampling: 12/11/2020  
 Samples Taken By: Paul Swieton  
 Samples Taken By:

**CLIENT INFORMANTION**  
 Name: Questar III BOCES  
 Address: 10 Empire State Blvd Castleton, NY 12033  
 Client Rep: Paul Swieton  
**SCHOOL/PROJECT INFORMATION**  
 BLDG NO./NAME: Questar III Main Office  
 BLDG ADDRESS: 10 Empire State Blvd Castleton, NY 12033  
 CONTACT NAME & NUMBERS: Paul Swieton 518-265-9531 Paul.Swieton@questar.org

(1) Yr. Built (2) Yr 1st Add: (3) Yr 2nd Add: (4) Yr 1st Mod: (5) Yr. 2nd Mod:

**SAMPLE DATA**

Sample Description ID (ID must match container label)			Outlet Information					
Lab Sample #	BOCES Sample #	Location	Outlet Description	Outlet Make & Model	Construct. Date	Time of Collection (24hr)	Lead	Remediation
17	Main-02-CM-P-17	Pantry by HR	Coffee Machine			6:08	X	015
18	Main-02-IM-P-18	Pantry by HR	Ice Machine			6:08	X	014
19	Main-02-DW-P-19	Corr by Bathrooms	Water Fountain			6:11	X	015
20	Main-02-DW-P-20	Corr by Bathrooms	Water Fountain			6:11	X	016
21	Main-02-DW-P-21	Corr by Bathrooms	Bottle Filler			6:11	X	017
22	Main-02-SF-P-22	Mens Bathroom (L)	Sink Faucet			6:13	X	018
23	Main-02-SF-P-23	Mens Bathroom (C)	Sink Faucet			6:13	X	019
24	Main-02-SF-P-24	Mens Bathroom (R)	Sink Faucet			6:13	X	020
25	Main-02-SF-P-25	Womens Bathroom (L)	Sink Faucet			6:15	X	021
26	Main-02-SF-P-26	Womens Bathroom (C)	Sink Faucet			6:15	X	022
27	Main-02-SF-P-27	Womens Bathroom (R)	Sink Faucet			6:15	X	023
28	Main-02-CM-P-28	Break Rm	Coffee Machine			6:25	X	024
29	Main-02-SF-P-29	Break Rm	Sink Faucet			6:25	X	025
30	Main-02-IM-P-30	Break Rm	Ice Machine			6:25	X	026
31	Main-01-SF-P-31	IT	Sink Faucet			6:27	X	027

All containers are pre-cleaned/pre-certified 250ml plastic bottles and will be preserved w/HNO3@ pH by lab

**CHAIN OF CUSTODY**

Relinquished By: [Signature] Date: 12/11/20  
 Received By: [Signature] Date: 12/15/20  
 Time: 11:00

**INSTRUCTIONS TO THE LABORATORY - Analyze all samples for both lead and copper (Pb and Cu)**

Lab: Pace  
 Contact: [Blank]  
 Comments: Provide Laboratory Data Report (LDR) and Chain of Custody